

# Lecture 12: Graphical Models




Recommended reading:  
Bishop, Chapter 8

**Duncan Gillies and Marc Deisenroth**

Department of Computing  
Imperial College London

February 15, 2016


# Probabilistic Graphical Models



Three types of probabilistic graphical models

- ▶ Bayesian networks (directed graphical models)
- ▶ Markov random fields (undirected graphical models)
- ▶ Factor graphs


# Probabilistic Graphical Models



Three types of probabilistic graphical models

- ▶ Bayesian networks (directed graphical models)
- ▶ Markov random fields (undirected graphical models)
- ▶ Factor graphs
- ▶ **Nodes:** Random variables
- ▶ **Edges:** Probabilistic relations between variables

# Probabilistic Graphical Models



Three types of probabilistic graphical models

- ▶ Bayesian networks (directed graphical models)
  - ▶ Markov random fields (undirected graphical models)
  - ▶ Factor graphs
  - ▶ **Nodes:** Random variables
  - ▶ **Edges:** Probabilistic relations between variables
- ▶ Graph captures the way in which the joint distribution over all random variables can be decomposed into a product of factors depending only on a subset of these variables

## Why are they useful?

- ▶ Simple way to **visualize the structure** of a probabilistic model
- ▶ Can be used to **design/motivate new models**
- ▶ **Insights into properties** of the model (e.g., conditional independence) by inspection of the graph
- ▶ Complex computations for inference and learning can be expressed in terms of **graphical manipulations**

# Importance of Visualization

$$\begin{aligned} Pr(\{y_g, \gamma_g, t_{gk}, \beta_{gk}, l_d, f_g, z_n, i_{ng}\} | \{w_{nd}\}) &= \prod_g^G p(y_g | \rho) p(\gamma_g | \sigma) p(f_g | \alpha) \cdot \\ & \left[ \prod_k^K p(t_{gk} | \gamma_g) p(\beta_{gk} | t_{gk}, y_g) \right] p(\kappa | \alpha) \prod_d^D p(l_d | \kappa) p(\pi | \alpha) \prod_n^N p(z_n | \pi) \\ & \prod_n^N \prod_g^G p(i_{ng} | \beta, z_n) \prod_n^N \prod_d^D p(w_{nd} | i_{ng}, f, l_d) \end{aligned}$$

From Kim et al. (NIPS, 2015)


# Importance of Visualization

$$Pr(\{y_g, \gamma_g, t_{gk}, \beta_{gk}, l_d, f_g, z_n, i_{ng}\} | \{w_{nd}\}) = \prod_g^G p(y_g | \rho) p(\gamma_g | \sigma) p(f_g | \alpha) \cdot$$

$$\prod_k^K p(t_{gk} | \gamma_g) p(\beta_{gk} | t_{gk}, y_g) p(\kappa | \alpha) \prod_d^D p(l_d | \kappa) p(\pi | \alpha) \prod_n^N p(z_n | \pi)$$

$$\prod_n^N \prod_g^G p(i_{ng} | \beta, z_n) \prod_n^N \prod_d^D p(w_{nd} | i_{ng}, f, l_d]$$

From Kim et al. (NIPS, 2015)



From Kim et al. (NIPS, 2015)

## Bayesian Networks (Directed Graphical Models)




# From Joints to Graphs

Consider the joint distribution

$$p(a, b, c) = p(c|a, b)p(b|a)p(a)$$

Building the corresponding graphical model:

1. Create a node for all random variables



▶ Graph layout depends on the choice of factorization


# From Joints to Graphs

Consider the joint distribution

$$p(a, b, c) = p(c|a, b)p(b|a)p(a)$$


Building the corresponding graphical model:

1. Create a node for all random variables
2. For each conditional distribution, we add a directed link (arrow) to the graph from the nodes corresponding to the variables on which the distribution is conditioned on



▶ Graph layout depends on the choice of factorization

## From Graphs to Joins




- ▶ Joint distribution is the product of a set of conditionals, one for each node in the graph
- ▶ Each conditional is conditioned only on the parents of the corresponding node in the graph

$$p(x_1, x_2, x_3, x_4, x_5) = p(x_1)p(x_5)p(x_2|x_5)p(x_3|x_1, x_2)p(x_4|x_2)$$

In general:  $p(x) = \prod_{k=1}^K p(x_k | \text{pa}_k)$

# Example: Bayesian Regression



From PRML (Bishop, 2006)


We are given a data set  $(x_1, y_1), \dots, (x_N, y_N)$  where

$$y_i = f(x_i) + \varepsilon, \quad \varepsilon \sim \mathcal{N}(0, \sigma^2)$$

with  $f$  unknown.

► Find a (regression) model that explains the data

## Example: Bayesian Regression



From PRML (Bishop, 2006)

- ▶ Consider **polynomials**  $f(x) = \sum_{j=0}^M w_j x^j$  with parameters  $\mathbf{w} = [w_0, \dots, w_M]^\top$ .
- ▶ **Bayesian regression:** Place a conjugate Gaussian prior on the parameters:  $p(\mathbf{w}) = \mathcal{N}(\mathbf{0}, \alpha^2 \mathbf{I})$


We are given a data set  $(x_1, y_1), \dots, (x_N, y_N)$  where

$$y_i = f(x_i) + \varepsilon, \quad \varepsilon \sim \mathcal{N}(0, \sigma^2)$$

with  $f$  unknown.


▶▶ Find a (regression) model that explains the data

# Graphical Models for Bayesian Regression




From PRML (Bishop, 2006)

$$y = f(x) + \varepsilon$$
$$p(\varepsilon) = \mathcal{N}(0, \sigma^2)$$
$$f(x) = \sum_{j=0}^M w_j x^j$$
$$p(\mathbf{w}) = \mathcal{N}(\mathbf{0}, \alpha^2 \mathbf{I})$$



# Graphical Models for Bayesian Regression





From PRML (Bishop, 2006)


$$y = f(x) + \varepsilon$$
$$p(\varepsilon) = \mathcal{N}(0, \sigma^2)$$

$$f(x) = \sum_{j=0}^M w_j x^j$$

$$p(\mathbf{w}) = \mathcal{N}(\mathbf{0}, \alpha^2 \mathbf{I})$$



# Graphical Models for Bayesian Regression






From PRML (Bishop, 2006)

$$y = f(x) + \varepsilon$$

$$p(\varepsilon) = \mathcal{N}(0, \sigma^2)$$

$$f(x) = \sum_{j=0}^M w_j x^j$$

$$p(\mathbf{w}) = \mathcal{N}(\mathbf{0}, \alpha^2 \mathbf{I})$$






# Conditional Independence

$$\begin{aligned} a \perp\!\!\!\perp b|c &\Leftrightarrow p(a|b,c) = p(a|c) \\ &\Leftrightarrow p(a,b|c) = p(a|c)p(b|c) \end{aligned}$$


- ▶ **Conditional independence** properties of the joint distribution can be read directly from the graph
- ▶ No analytical manipulations required.
- ▶▶ **d-separation** (Pearl, 1988)

## D-Separation (Directed Graphs)



Directed, acyclic graph in which  $A, B, C$  are arbitrary, non-intersecting sets of nodes. Does  $A \perp\!\!\!\perp B \mid C$  hold?


## D-Separation (Directed Graphs)



Directed, acyclic graph in which  $A, B, C$  are arbitrary, non-intersecting sets of nodes. Does  $A \perp\!\!\!\perp B \mid C$  hold?

- Consider all possible paths from any node in  $A$  to any node in  $B$ . Any such path is **blocked** if it includes a node such that either
- ▶ Arrows on the path meet either **head-to-tail** or **tail-to-tail** at the node, and the node is in the set  $C$  or
  - ▶ Arrows meet **head-to-head** at the node and neither the node nor any of its descendants is in the set  $C$

## D-Separation (Directed Graphs)




Directed, acyclic graph in which  $A, B, C$  are arbitrary, non-intersecting sets of nodes. Does  $A \perp\!\!\!\perp B \mid C$  hold?


- Consider all possible paths from any node in  $A$  to any node in  $B$ . Any such path is **blocked** if it includes a node such that either
- ▶ Arrows on the path meet either **head-to-tail** or **tail-to-tail** at the node, and the node is in the set  $C$  or
  - ▶ Arrows meet **head-to-head** at the node and neither the node nor any of its descendants is in the set  $C$

If **all paths are blocked**, then  $A$  is **d-separated** from  $B$  by  $C$ , and the joint distribution satisfies  $A \perp\!\!\!\perp B \mid C$ .

## Example



(a)  $a \perp\!\!\!\perp b|c?$




(b)  $a \perp\!\!\!\perp b|d?$

Remember: A path is **blocked** if it includes a node such that either

- ▶ The arrows on the path meet either head-to-tail or tail-to-tail at the node, and the node is in the set  $C$  or
- ▶ The arrows meet head-to-head at the node, and neither the node nor any of its descendants is in the set  $C$

## Markov Random Fields (Undirected Graphical Models)

# Markov Random Fields



- ▶ Nodes are sets of random variables
- ▶ Links connect these nodes

# Joint Distribution

- ▶ Express joint distribution  $p(\mathbf{x})$  as a product of functions defined on subsets of variables that are local to the graph



# Joint Distribution

- ▶ Express joint distribution  $p(\mathbf{x})$  as a product of functions defined on subsets of variables that are local to the graph
- ▶ If  $x_i, x_j$  are not connected directly by a link then  $x_i \perp\!\!\!\perp x_j | \mathbf{x} \setminus \{x_i, x_j\}$  (conditionally independent given everything else)

# Joint Distribution

- ▶ Express joint distribution  $p(\mathbf{x})$  as a product of functions defined on subsets of variables that are local to the graph
- ▶ If  $x_i, x_j$  are not connected directly by a link then  $x_i \perp\!\!\!\perp x_j | \mathbf{x} \setminus \{x_i, x_j\}$  (conditionally independent given everything else)
- ▶ Then: In the factorization  $x_i, x_j$  never appear in a joint factor
  - ▶▶ **Cliques** (fully connected subgraphs)

# Joint Distribution

- ▶ Express joint distribution  $p(\mathbf{x})$  as a product of functions defined on subsets of variables that are local to the graph
- ▶ If  $x_i, x_j$  are not connected directly by a link then  $x_i \perp\!\!\!\perp x_j | \mathbf{x} \setminus \{x_i, x_j\}$  (conditionally independent given everything else)
- ▶ Then: In the factorization  $x_i, x_j$  never appear in a joint factor
- ▶▶ **Cliques** (fully connected subgraphs)
- ▶ Define factors in the decomposition of the joint to be functions of the variables in (maximum) cliques:

$$p(\mathbf{x}) \propto \prod_C \psi_C(\mathbf{x}_C)$$

# Factorization Properties

$$p(\mathbf{x}) = \frac{1}{Z} \prod_C \psi_C(\mathbf{x}_C)$$

- ▶  $C$ : maximal clique
- ▶  $\mathbf{x}_C$ : all variables in this clique
- ▶  $\psi_C(\mathbf{x}_C)$ : clique potential
- ▶  $Z = \sum_{\mathbf{x}} \prod_C \psi_C(\mathbf{x}_C)$ : normalization constant

# Clique Potentials

$$p(\mathbf{x}) = \frac{1}{Z} \prod_C \psi_C(\mathbf{x}_C)$$

Clique potentials  $\psi_C(\mathbf{x}_C)$ :


- ▶  $\psi_C(\mathbf{x}_C) \geq 0$
- ▶ Unlike directed graphs, no probabilistic interpretation necessary (e.g., marginal or conditional).
- ▶ If we convert a directed graph into an MRF, the clique potentials may have a probabilistic interpretation

# Normalization Constant

$$p(\mathbf{x}) = \frac{1}{Z} \prod_C \psi_C(\mathbf{x}_C)$$

- ▶ Gives us **flexibility** in the definition the factorization in an MRF
- ▶ Partition function  $Z$  is required for parameter learning (not covered in this course)
- ▶ In a discrete model with  $M$  discrete nodes each having  $K$  states, the evaluation  $Z$  requires summing over  $K^M$  states
  - ▶ **Exponential in the size of the model**
- ▶ In a continuous model, we need to solve integrals
  - ▶ **Intractable** in many cases
- ▶ Major limitation of MRFs

# Conditional Independence



Two easy checks for conditional independence:

- ▶  $A \perp\!\!\!\perp B|C$  if and only if all paths from  $A$  to  $B$  pass through  $C$ .  
(Then, all paths are blocked)
- ▶ Alternative: Remove all nodes in  $C$  from the graph. If there is a path from  $A$  to  $B$  then  $A \perp\!\!\!\perp B|C$  does not hold

# Potentials as Energy Functions


- ▶ Look only at potential functions with  $\psi_C(\mathbf{x}_C) > 0$ 
  - ▶▶  $\psi_C(\mathbf{x}_C) = \exp(-E(\mathbf{x}_C))$  for some **energy function**  $E$



# Potentials as Energy Functions

- ▶ Look only at potential functions with  $\psi_C(\mathbf{x}_C) > 0$ 
  - ▶▶  $\psi_C(\mathbf{x}_C) = \exp(-E(\mathbf{x}_C))$  for some **energy function**  $E$
- ▶ Joint distribution is the product of clique potentials
  - ▶▶ **Total energy** is the sum of the energies of the clique potentials


## Example: Image Restoration



From PRML (Bishop, 2006)


- ▶ Binary image, corrupted by 10% binary noise (pixel values flip with probability 0.1).
- ▶ Objective: Restore noise-free image
- ▶ Pairwise Markov random field that has all its variables joined in cliques of size 2

## Image Restoration (2)




- ▶ MRF-based approach
- ▶ Latent variables  $x_i \in \{-1, +1\}$  are the binary noise-free pixel values

## Image Restoration (2)



- ▶ MRF-based approach
- ▶ Latent variables  $x_i \in \{-1, +1\}$  are the binary noise-free pixel values
- ▶ Observed variables  $y_i \in \{-1, +1\}$  are the noise-corrupted pixel values


# Clique Potentials



Two types of clique potentials:

- ▶  $\log \psi_{xy}(x_i, y_i) = E(x_i, y_i) = -\eta x_i y_i, \quad \eta > 0$ 
  - ▶▶ Strong correlation between observed and latent variables

# Clique Potentials



Two types of clique potentials:

- ▶  $\log \psi_{xy}(x_i, y_i) = E(x_i, y_i) = -\eta x_i y_i, \quad \eta > 0$ 
  - ▶▶ Strong correlation between observed and latent variables
- ▶  $\log \psi_{xx}(x_i, x_j) = E(x_i, x_j) = -\beta x_i x_j, \quad \beta > 0$   
for neighboring pixels  $x_i, x_j$ 
  - ▶▶ Favor similar labels for neighboring pixels (smoothness prior)



# Energy Function

Total energy:

$$E(\mathbf{x}, \mathbf{y}) = \underbrace{-\eta \sum_i x_i y_i}_{\text{latent-observed}} \underbrace{-\beta \sum_{\{i,j\}} x_i x_j}_{\text{latent-latent}} + \underbrace{h \sum_i x_i}_{\text{bias}}$$

- ▶ Bias term places a prior on the latent pixel values, e.g., +1.
- ▶ Joint distribution  $p(\mathbf{x}, \mathbf{y}) = \frac{1}{Z} \exp(-E(\mathbf{x}, \mathbf{y}))$
- ▶ Fix  $y$ -values to the observed ones ▶ Implicitly define  $p(\mathbf{x}|\mathbf{y})$
- ▶ Example of an [Ising model](#) ▶ Statistical physics

# ICM Algorithm for Image Restoration



Noise-corrupted image, ICM, Graph-cut (From PRML (Bishop, 2006))

## Iterated Conditional Modes (ICM, Kittler & Föglein, 1984)




1. Initialize all  $x_i = y_i$
  2. Pick any  $x_j$ : Evaluate total energy  $E(x^j \cup \{+1\}, \mathbf{y})$ ,  
 $E(x^j \cup \{-1\}, \mathbf{y})$
  3. Set  $x_j$  to whichever state has the lower energy
  4. Repeat
- ▶ Local optimum



## Directed Graph $\rightarrow$ MRF

- ▶ **Moralization:**
  - ▶ Add additional undirected links between all pairs of parents for each node in the graph
  - ▶ Drop arrows on original links
- ▶ Identify (maximum) cliques
- ▶ Initialize all clique potentials to 1
- ▶ Take each conditional distribution factor in the directed graph, multiply it into one of the clique potentials


## Relation to Directed Graphs



- ▶ Directed and undirected graphs express **different conditional independence properties**
- ▶ Left:  $a \perp\!\!\!\perp b \mid \emptyset$ ,  $a \not\perp\!\!\!\perp b \mid c$  has **no MRF equivalent**
- ▶ Center:  $a \not\perp\!\!\!\perp b \mid \emptyset$ ,  $c \perp\!\!\!\perp d \mid a \cup b$ ,  $a \perp\!\!\!\perp b \mid c \cup d$  has **no Bayesnet equivalent**

# Factor Graphs

# Factor Graphs



- ▶ (Un)directed graphical models express a global function of several variables as a product of factors over subsets of those variables
- ▶ Factor graphs make this decomposition explicit by introducing additional nodes for the factors themselves.

# Factorizing the Joint

The joint distribution is a product of factors:

$$p(\mathbf{x}) = \prod_s f_s(\mathbf{x}_s)$$

- ▶  $\mathbf{x} = (x_1, \dots, x_n)$
- ▶  $\mathbf{x}_s$ : Subset of variables
- ▶  $f_s$ : Factor; non-negative function of the variables  $\mathbf{x}_s$


# Factorizing the Joint

The joint distribution is a product of factors:

$$p(\mathbf{x}) = \prod_s f_s(\mathbf{x}_s)$$

- ▶  $\mathbf{x} = (x_1, \dots, x_n)$
- ▶  $\mathbf{x}_s$ : Subset of variables
- ▶  $f_s$ : Factor; non-negative function of the variables  $\mathbf{x}_s$
- ▶ Building a factor graph as a **bipartite graph**:
  - ▶ Nodes for all random variables (same as in (un)directed graphical models)
  - ▶ Additional nodes for factors (black squares) in the joint distribution
- ▶ Undirected links connecting each factor node to all of the variable nodes the factor depends on

## Example



$$p(\mathbf{x}) = f_a(x_1, x_2) f_b(x_1, x_2) f_c(x_2, x_3) f_d(x_3)$$




## MRF $\rightarrow$ Factor Graph

1. Take variable nodes from MRF
2. Create additional factor nodes corresponding to the maximal cliques  $\mathbf{x}_s$
3. The factors  $f_s(\mathbf{x}_s)$  equal the clique potentials
4. Add appropriate links

Not unique



## Example: MRF $\rightarrow$ Factor Graph




- ▶ MRF with clique potential  $\psi(x_1, x_2, x_3)$
- ▶ Factor graph with factor  $f(x_1, x_2, x_3) = \psi(x_1, x_2, x_3)$
- ▶ Factor graph with factors, such that  $f_a(x_1, x_2, x_3)f_b(x_2, x_3) = \psi(x_1, x_2, x_3)$

# Directed Graphical Model $\rightarrow$ Factor Graph

1. Take variable nodes from Bayesian network
2. Create additional factor nodes corresponding to the conditional distributions
3. Add appropriate links


Not unique

## Example: Directed Graph $\rightarrow$ Factor Graph



- ▶ Directed graph with factorization  $p(x_1)p(x_2)p(x_3|x_1, x_2)$
- ▶ Factor graph with factor  $f(x_1, x_2, x_3) = p(x_1)p(x_2)p(x_3|x_1, x_2)$
- ▶ Factor graph with factors  $f_a = p(x_1)$ ,  $f_b = p(x_2)$ ,  $f_c = p(x_3|x_1, x_2)$

## Removing Cycles




- ▶ Local cycles in an (un)directed graph (due to links connecting parents of a node) can be removed on conversion to a factor graph

# Sum-Product Algorithm for Factor Graphs


- ▶ Factor graphs give a **uniform treatment to message passing**
- ▶ Two different types of messages:
  - ▶ Messages  $\mu_{x \rightarrow f}(x)$  from variable nodes to factors
  - ▶ Messages  $\mu_{f \rightarrow x}(x)$  from factors to variable nodes
- ▶ Factors transform messages into evidence for the receiving node.

# Variable-to-Factor Message



- ▶ Take the product of all **incoming messages along all other links**
- ▶ A variable node can send a message to a factor node once it has received messages from all other neighboring factors
- ▶ The message that a node sends to a factor is made up of the messages that it receives from all other factors.

# Factor-to-Variable Message



$$\mu_{f_s \rightarrow x}(x) = \sum_{x_1} \cdots \sum_{x_M} f_s(x, x_1, \dots, x_M) \prod_{m \in \text{ne}(f_s) \setminus x} \mu_{x_m \rightarrow f_s}(x_m)$$

- ▶ Take the product of the incoming messages along all other links coming into the factor node
- ▶ Multiply by the factor associated with that node
- ▶ Marginalize over all of the variables associated with the incoming messages

# Initialization

- ▶ If the leaf node is a variable nodes, initialize the corresponding messages to 1:


$$\mu_{x \rightarrow f}(x) = 1$$

- ▶ If the leaf node is a factor node, the message should be

$$\mu_{f \rightarrow x}(x) = f(x)$$



## Example (1)



From PRML (Bishop, 2006)

$$\mu_{x_1 \rightarrow f_a}(x_1) = 1$$

$$\mu_{f_a \rightarrow x_2}(x_2) = \sum_{x_1} f_a(x_1, x_2) \cdot 1$$


$$\mu_{x_4 \rightarrow f_c}(x_4) = 1$$

$$\mu_{f_c \rightarrow x_2}(x_2) = \sum_{x_4} f_c(x_2, x_4) \cdot 1$$

$$\mu_{x_2 \rightarrow f_b}(x_2) = \mu_{f_a \rightarrow x_2}(x_2) \mu_{f_c \rightarrow x_2}(x_2)$$

$$\mu_{f_b \rightarrow x_3}(x_3) = \sum_{x_2} f_b(x_2, x_3) \mu_{x_2 \rightarrow f_b}(x_2)$$

## Example (2)



From PRML (Bishop, 2006)

$$\mu_{x_3 \rightarrow f_b}(x_3) = 1$$

$$\mu_{f_b \rightarrow x_2}(x_2) = \sum_{x_3} f_b(x_2, x_3) \cdot 1$$

$$\mu_{x_2 \rightarrow f_a}(x_2) = \mu_{f_b \rightarrow x_2}(x_2) \mu_{f_c \rightarrow x_2}(x_2)$$


$$\mu_{f_a \rightarrow x_1}(x_1) = \sum_{x_2} f_a(x_1, x_2) \mu_{x_2 \rightarrow f_a}(x_2)$$

$$\mu_{x_2 \rightarrow f_c}(x_2) = \mu_{f_a \rightarrow x_2}(x_2) \mu_{f_b \rightarrow x_2}(x_2)$$

$$\mu_{f_c \rightarrow x_4}(x_4) = \sum_{x_2} f_c(x_2, x_4) \mu_{x_2 \rightarrow f_c}(x_2)$$

► Tutorial



# Marginals



For a single variable node the marginal is given as the product of all incoming messages:

$$p(x) = \prod_{f_i \in \text{ne}(x)} \mu_{f_i \rightarrow x}(x)$$

# Applications: Message Passing in Graphical Models



- ▶ **Ranking:** TrueSkill (Herbrich et al., 2007)
- ▶ **Computer vision:** de-noising, segmentation, semantic labeling, ... (e.g., Sucar & Gillies, 1994; Shotton et al., 2006; Szeliski et al., 2008)
- ▶ **Coding theory:** low-density parity-check codes, turbo codes, ... (e.g., McEliece et al., 1998)
- ▶ **Linear algebra:** Solve linear equation systems (Shental et al., 2008)
- ▶ **Signal processing:** Iterative state estimation (e.g., Bickson et al., 2007; Deisenroth & Mohamed, 2012)

# References I

- [1] D. Bickson, D. Dolev, O. Shental, P. H. Siegel, and J. K. Wolf. Linear Detection via Belief Propagation. In *Proceedings of the Annual Allerton Conference on Communication, Control, and Computing*, 2007.
- [2] C. M. Bishop. *Pattern Recognition and Machine Learning*. Information Science and Statistics. Springer-Verlag, 2006.
- [3] M. P. Deisenroth and S. Mohamed. Expectation Propagation in Gaussian Process Dynamical Systems. In *Advances in Neural Information Processing Systems*, pages 2618–2626, 2012.
- [4] R. Herbrich, T. Minka, and T. Graepel. TrueSkill(TM): A Bayesian Skill Rating System. In *Advances in Neural Information Processing Systems*, pages 569–576. MIT Press, 2007.
- [5] B. Kim, J. A. Shah, and F. Doshi-Velez. Mind the Gap: A Generative Approach to Interpretable Feature Selection and Extraction. In C. Cortes, N. Lawrence, D. Lee, M. Sugiyama, and R. Garnett, editors, *Advances in Neural Information Processing Systems*, pages 2251–2259. Curran Associates, Inc., 2015.
- [6] J. Kittler and J. Föglein. Contextual Classification of Multispectral Pixel Data. *Image and Vision Computing*, 2(1):13–29, 1984.
- [7] R. J. McEliece, D. J. C. MacKay, and J.-F. Cheng. Turbo Decoding as an Instance of Pearl’s “Belief Propagation” Algorithm. *IEEE Journal on Selected Areas in Communications*, 16(2):140–152, 1998.
- [8] J. Pearl. *Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference*. Morgan Kaufmann, 1988.
- [9] O. Shental, D. Bickson, J. K. W. P. H. Siegel and, and D. Dolev. Gaussian Belief Propagation Solver for Systems of Linear Equations. In *IEEE International Symposium on Information Theory*, 2008.
- [10] J. Shotton, J. Winn, C. Rother, and A. Criminisi. TextonBoost: Joint Appearance, Shape and Context Modeling for Multi-Class Object Recognition and Segmentation. In *Proceedings of the European Conference on Computer Vision*, 2006.
- [11] L. E. Sucar and D. F. Gillies. Probabilistic Reasoning in High-Level Vision. *Image and Vision Computing*, 12(1):42–60, 1994.
- [12] R. Szeliski, R. Zabih, D. Scharstein, O. Veksler, A. A. Vladimir Kolmogorov, M. Tappen, and C. Rother. A Comparative Study of Energy Minimization Methods for Markov Random Fields with Smoothness-based Priors. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 30(6):1068–1080, 2008.